

L Number	Hits	Search Text	DB	Time stamp
9	2	(poll\$5 same version same identi\$5 same bus) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:19
11	172	((host or hub or master or controller) with ((read\$4 or writ\$4) with (memory or buffer) with (peripheral or slave or accessory or appliance or remote))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:26
12	145	((host or hub or master or controller) with ((reset\$4 or reinitializ\$5) with (peripheral or slave or accessory or appliance or remote))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 09:44
15	58	((host or hub or master or controller) with ((button or dial) with (peripheral or slave or accessory or appliance or remote))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:55
17	2	((host or hub or master or controller) with ((simulat\$4 with operat\$4) with (peripheral or slave or accessory or appliance or remote))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 07:59
18	64	((host or hub or master or controller) with user with ((operat\$4) with (peripheral or slave or accessory or appliance or remote))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 09:52
20	62	((host or hub or master or controller) with central with user with ((operat\$4) with (peripheral or slave or accessory or appliance or remote)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 08:56
23	6	((central adj (host or hub or master or controller)) with "user interface" with (peripheral or slave or accessory or appliance or remote))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 08:57
42	10	5940387.URPN.	USPAT	2002/10/18 09:54
43	8	((remote adj control) with (central adj (host or hub or master or controller))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 10:08
-	19	((head adj set) or headset) adj adapter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 14:29

-	10	(((head adj set) or headset) with adapter) and accessor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 13:33
-	51	((control\$4 or process\$4 or monitor\$4) same (accessor\$4 or ancillary) same packet) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 10:47
-	21	(((control\$4 or monitor\$4) with (((accessor\$4 or ancillary) near2 (device or unit or module or equipment)) or appliance)) same packet) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 11:15
-	98	(hub same (control\$4 or monitor\$4 or command) same packet same bus) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 11:10
-	64	((control\$4 or monitor\$4) same (((accessor\$4 or ancillary) near2 (device or unit or module or equipment)) or appliance) and (IP or packet) and (star or hub) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 11:22
-	61	((control\$4 or monitor\$4) same (((accessor\$4 or ancillary) near2 (device or unit or module or equipment)) or appliance) and (IP or packet) and (star or hub) and (local\$5 or small or home) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 14:01
-	12	("4397030" "5040172" "5291479" "5333176" "5414796" "5487066" "5754589" "5764627" "5801785" "6038457" "6088362" "6115689").PN.	USPAT	2002/10/10 11:27
-	139	(((head adj set) or headset) same accessor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 13:34
-	3	(((head adj set) or headset) same accessor\$4) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 13:37
-	85	(((head adj set) or headset) same accessor\$4) and telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 13:38
-	62	(((head adj set) or headset) same accessor\$4) same telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 13:53

-	27	((head adj set) or headset) and ((accessor\$4 with interface) same telephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:03
-	2	((head adj set) or headset) and ((accessor\$4 with interface) same telephone) and (hookswitch or (in adj use) or (on adj line) or lift)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 09:46
-	5	(power) same (telephone with accessor\$4) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:34
-	7	(rate adj bit) and 370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:40
-	1	(bit adj period) and 370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:41
-	219	370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:42
-	31	(synch\$) and (transmi\$6 adj rate) and 370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:43
-	1	(synch\$) with (transmi\$6 adj rate) and 370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:44
-	7	(synch\$) same (transmi\$6 adj rate) and 370/253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:13
-	5	(synch\$) same (transmi\$6 adj rate) same (bit adj period) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 16:01

-	35	(source adj address) same (destination adj address) same (checksum) and bus and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:01
-	8	(bit adj period) with (transmi\$6 adj rate) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:56
-	20	((determine) with (bit adj period)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:25
-	66	((determine or measure or find or sample) with (bit adj period)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:37
-	2	4791652.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:41
-	65	(bit adj period) with define	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 15:43
-	38	((micro adj controller) or microcontroller) with ((eas\$5 with implement) or cheap))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 16:01
-	13	((hold with bus) same (collision)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 11:26
-	13	((start with message with bit) same collision) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 11:31
-	9	(time with ((rising and falling) near2 edge)) and (375/246,253,340.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 14:23

-	17	((width or length or duration or between) with ((rising and falling) near2 edge)) and (375/246,253,340.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 14:29
-	264	((width or length or duration or between) with ((rising and falling) near2 edge)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:54
-	2	((width or length or duration or between) same ((rising and falling) near2 edge)) same (bit adj period)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:47
-	153	((width or length or duration) with (bit adj period) same (one or zero)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:50
-	96	((width or length or duration) with (bit adj period) with (one or zero)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:52
-	6	((width or length or duration) with (bit adj period) with (one with zero)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:52
-	3	((width or length or duration or between) with ((rising and falling) near2 edge) with (one with zero)) and (375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/11 15:56
-	23	("3944926" "4103234" "4339724" "4350879" "4403331" "4517679" "4530088" "4567602" "4644565" "4713841" "4720839" "4730344" "5327455" "5365547" "5491457" "5682390" "5719899" "5729570" "5732114" "5784402" "5786778" "5790588" "5892798").PN.	USPAT	2002/10/15 08:58
-	14	((RZ) or (return near2 zero)) with Manchester same (((rising or falling) adj edge) or transition)) and (370/\$.ccls. or 375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 13:55
-	144	((test with (monitor or control)) with (remote or accessory)) and (370/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 13:57

-	27	((control\$4 or monitor\$4) same (((accessor\$4 or ancillary) near2 (device or unit or module or equipment)) or appliance)) and (IP or packet) and (star or hub) and (local\$5 or small or home) and (test) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 11:37
-	6	((packet with communication) same (flexible) same easily) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 07:30
-	4	((packet adj (communication or switch\$4)) same (flexible) same (robust)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 07:54
-	39	((micro adj controller) or microcontroller) same (cheap or accurate or (reliable or robust))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 07:57
-	32	((micro adj controller) or microcontroller) same ((cheap or inexpensive) same (reliable or robust)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 07:58
-	12	((test adj packet) same (remote or accessory)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:13
-	9	((test with operation) same packet same (remote or accessory)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:24
-	17	((test with operation) same packet same (remote or accessory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:26
-	10	((diagnostic adj test) same packet same (remote or accessory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:28
-	19	((test) same packet same status same (remote or accessory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:29

-	10	((test) same (remote or accessory or appliance)) and packet and (home adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:32
-	149	((test) with (remote or accessory or appliance)) same packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:32
-	8	((test) with (remote or accessory or appliance)) same packet same status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:35
-	31	((test) with (remote or accessory or appliance)) same packet same (controller or hub or central or adapter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:39
-	11	((test) with (remote or accessory or appliance) with command) same (controller or hub or central or adapter)) and packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/16 09:39
-	40	((RZ) or (return near2 zero)) and (((rising or falling) adj edge) or transition) with synchronize) and (370/\$.ccls. or 375/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 13:51
-	10	((status adj request) same (remote or appliance or accessory) same packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 07:39
-	5	((status adj request) same (remote or appliance or accessory)) and (home near2 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 07:37
-	89	((status adj request) with (remote or appliance or accessory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 08:21
-	13	("3623013" "4174517" "4200862" "4418333" "4545013" "4593352" "4899274" "4910658" "4918598" "4918690" "5109222" "5109484" "5160924").PN.	USPAT	2002/10/17 07:52

-	140	((status) with (appliance or accessory)) and (packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 08:14
-	10	((status near3 request) same (appliance or accessory)) and (packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 08:15
-	18	((status adj request) same (appliance or accessory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 08:24
-	31	((on with off) with (accessory or appliance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 09:33
-	137	"consumer electronics bus"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 11:33
-	462	(appliance or accessory) and (home near network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 11:34
-	66	((appliance or accessory) and (home near network)) and (((on with off) or (reset\$5 or reinitializ\$4) or ((read or write) with memory)) same (hub or controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 11:45
-	38	((appliance or accessory) and (home near network)) and (((on with off) or ((read or write) with memory)) same (hub or controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 11:48
-	95	379/\$.ccls. and 370/\$.ccls. and headset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 14:34
-	2	379/\$.ccls. and 370/\$.ccls. and headset and packets and accessor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 14:36

-	8	((request with (identity or version)) same poll\$4) and 370/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 14:48
-	12	((request with (firmware)) same (hub or controller or master)) and 370/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/17 14:48